



..ideus

Lighting
New products
Catalog supplement
2021/1

STRÜHM[®]

Product name 	ZULA DWL GU10 WHITE Ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 100, width 55, depth 55	Product name 	ZULA DWL GU10 BLACK Ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 100, width 55, depth 55
Ideus code:	03989	Ideus code:	03990
Product name 	ZULA TRA GU10 WHITE Track lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 180, width 55, depth 55	Product name 	ZULA TRA GU10 BLACK Track lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 180, width 55, depth 55
Ideus code:	03991	Ideus code:	03992
Product name 	ZULA TRA 20 GU10 WHITE Track lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 200, width 55, depth 55 Comments: power cable 100 cm long	Product name 	ZULA TRA 20 GU10 BLACK Track lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 200, width 55, depth 55 Comments: power cable 100 cm long
Ideus code:	03993	Ideus code:	03994
Product name 	ZULA SPT GU10 WHITE Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 165, width 60, depth 60	Product name 	ZULA SPT GU10 BLACK Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 165, width 60, depth 60
Ideus code:	03995	Ideus code:	03996
Product name 	ZULA WLL GU10 WHITE Decorative fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED on/off switch: yes Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 141, width 61, depth 85	Product name 	ZULA WLL GU10 BLACK Decorative fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED on/off switch: yes Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium alloy cast, acrylic glass Dimensions (mm): height 141, width 61, depth 85
Ideus code:	03997	Ideus code:	03998

<p>Product name</p> 	<p>PIANO DWL GU10 WHITE</p> <p>Ceiling lighting fitting Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium Dimensions (mm): height 100, width 70, depth 70</p>	<p>Product name</p> 	<p>PIANO DWL GU10 BLACK</p> <p>Ceiling lighting fitting Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium Dimensions (mm): height 100, width 70, depth 70</p>
<p>Ideus code:</p>	<p>04025</p>	<p>Ideus code:</p>	<p>04026</p>
<p>expected availability</p>	<p>31.12.2021</p>	<p>expected availability</p>	<p>31.12.2021</p>
<p>Product name</p> 	<p>PIANO DWL GU10 BLACK/WHITE</p> <p>Ceiling lighting fitting Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black/white Power: max 35 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: aluminium Dimensions (mm): height 100, width 70, depth 70</p>	<p>Product name</p> 	<p>POP LED 1W</p> <p>Under-cupboard linear fitting Brand: STRUHM Power supply: DC 5 V 2 A MAX microUSB Colour: white Power: 0.8 W Dedicated light source: LED, in set Light colour: cold white Luminous flux: 55 lm Luminous beam angle: 120° Light source lifetime: 20000 h on/off switch: yes IP: 20 Material: plastic Dimensions (mm): height 75, width 83, depth 23 Comments: portable luminaire; with PIR motion sensor; rechargeable battery included; works with ambient light below 200lx; range 150°; maximum motion detection range is 3m (<24°); lighting time 15s</p>
<p>Ideus code:</p>	<p>04027</p>	<p>Ideus code:</p>	<p>03999</p>
<p>expected availability</p>	<p>31.12.2021</p>	<p>expected availability</p>	<p></p>
<p>Product name</p> 	<p>FABIO LED C 24W NW</p> <p>Ceiling SMD LED light fitting Brand: STRUHM Power supply: 230V 50Hz Colour: white Power: 24 W Dedicated light source: SMD LED, in set Light colour: neutral white Luminous flux: 1680 lm Luminous beam angle: 160° Light source lifetime: 30000 h Energy efficiency class EeI: F IP: 44; interiors only Material: steel sheet, plastic Dimensions (mm): height 65, width 390, depth 390 Comments: driver included</p>	<p>Product name</p> 	<p>FABIO LED C 48W NW</p> <p>Ceiling SMD LED light fitting Brand: STRUHM Power supply: 230V 50Hz Colour: white Power: 48 W Dedicated light source: SMD LED, in set Light colour: neutral white Luminous flux: 3360 lm Luminous beam angle: 160° Light source lifetime: 30000 h Energy efficiency class EeI: E IP: 44; interiors only Material: steel sheet, plastic Dimensions (mm): height 75, width 485, depth 485 Comments: driver included</p>
<p>Ideus code:</p>	<p>04008</p>	<p>Ideus code:</p>	<p>04009</p>
<p>expected availability</p>	<p>02.01.2022</p>	<p>expected availability</p>	<p>02.01.2022</p>
<p>Product name</p> 	<p>WENA LED D 24W</p> <p>Ceiling SMD LED light fitting Brand: STRUHM Power supply: 230V 50Hz Colour: white Power: max 24 W Dedicated light source: SMD LED, in set Light colour: warm white/neutral white/cold white Luminous flux: max 1440 lm Luminous beam angle: 160° Light source lifetime: 30000 h Energy efficiency class EeI: E IP: 44; interiors only Material: steel sheet, plastic Dimensions (mm): height 65, width 340, depth 340 Comments: driver included; brightness and white light adjustable by remote controller</p>	<p>Product name</p> 	<p>WENA LED D 48W</p> <p>Ceiling SMD LED light fitting Brand: STRUHM Power supply: 230V 50Hz Colour: white Power: max 48 W Dedicated light source: SMD LED, in set Light colour: warm white/neutral white/cold white Luminous flux: max 2880 lm Luminous beam angle: 160° Light source lifetime: 30000 h Energy efficiency class EeI: E IP: 44; interiors only Material: steel sheet, plastic Dimensions (mm): height 75, width 485, depth 485 Comments: driver included; brightness and white light adjustable by remote controller</p>
<p>Ideus code:</p>	<p>04010</p>	<p>Ideus code:</p>	<p>04011</p>
<p>expected availability</p>	<p>02.01.2022</p>	<p>expected availability</p>	<p>02.01.2022</p>
<p>Product name</p> 	<p>ARIEL LED C 48W</p> <p>Ceiling SMD LED light fitting Brand: STRUHM Power supply: 230V 50Hz Colour: silver Power: max 48 W Dedicated light source: SMD LED, in set Light colour: warm white/neutral white/cold white Luminous flux: max 2880 lm Luminous beam angle: 160° Light source lifetime: 30000 h Energy efficiency class EeI: E IP: 44; interiors only Material: steel sheet, plastic Dimensions (mm): height 90, width 510, depth 510 Comments: driver included; brightness and white light adjustable by remote controller</p>	<p>Product name</p> 	<p>ARIEL LED D 48W</p> <p>Ceiling SMD LED light fitting Brand: STRUHM Power supply: 230V 50Hz Colour: silver Power: max 48 W Dedicated light source: SMD LED, in set Light colour: warm white/neutral white/cold white Luminous flux: max 2880 lm Luminous beam angle: 160° Light source lifetime: 30000 h Energy efficiency class EeI: E IP: 44; interiors only Material: steel sheet, plastic Dimensions (mm): height 80, width 505, depth 505 Comments: driver included; brightness and white light adjustable by remote controller</p>
<p>Ideus code:</p>	<p>04012</p>	<p>Ideus code:</p>	<p>04013</p>
<p>expected availability</p>	<p>02.01.2022</p>	<p>expected availability</p>	<p>02.01.2022</p>

Product name	BOGNA GU10 1C WHITE		
	<p>Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: max 20 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: plastic, polycarbonate PC Dimensions (mm): height 147, width 120, depth 120</p>		
Ideus code:	03982	expected availability	14.12.2021


Product name	BOGNA GU10 1C BLACK		
	<p>Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: max 20 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: plastic, polycarbonate PC Dimensions (mm): height 147, width 120, depth 120</p>		
Ideus code:	03983	expected availability	14.12.2021

Product name	BOGNA GU10 2C WHITE		
	<p>Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: 2 x max 20 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: plastic, polycarbonate PC Dimensions (mm): height 147, width 130, depth 130</p>		
Ideus code:	03984	expected availability	14.12.2021

Product name	BOGNA GU10 2C BLACK		
	<p>Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: 2 x max 20 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: plastic, polycarbonate PC Dimensions (mm): height 147, width 130, depth 130</p>		
Ideus code:	03985	expected availability	14.12.2021

Product name	BOGNA GU10 3C WHITE		
	<p>Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: white Power: 3 x max 20 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: plastic, polycarbonate PC Dimensions (mm): height 147, width 150, depth 150</p>		
Ideus code:	03986	expected availability	14.12.2021

Product name	BOGNA GU10 3C BLACK		
	<p>Wall & ceiling lighting fitting Brand: STRÜHM Power supply: 220-240V 50/60Hz Colour: black Power: 3 x max 20 W Lampholder type: GU10 Dedicated light source: LED Product offer the possibility of adjusting the illumination direction: yes IP: 20 Material: plastic, polycarbonate PC Dimensions (mm): height 147, width 150, depth 150</p>		
Ideus code:	03987	expected availability	14.12.2021

Product name	BOA LED WHITE RGB		
	<p>SMD LED desk lamp Brand: STRÜHM Power supply: 230V 50Hz Colour: white Power: max 6 W Dedicated light source: SMD LED, in set Light colour: neutral white Luminous flux: max 280 lm Luminous beam angle: 120° Light source lifetime: 30000 h Energy efficiency class EeI: G on/off switch: yes Product offer the possibility of adjusting the illumination direction: yes IP: 20, Material: ABS Dimensions (mm): height 320, width 110, depth 200 Comments: driver included; three-stage lighting regulation (1W, 3W, 6W); adjustable base light color (RGB); touch switch</p>		
Ideus code:	04000	expected availability	10.12.2021

Product name	BOA LED BLACK RGB		
	<p>SMD LED desk lamp Brand: STRÜHM Power supply: 230V 50Hz Colour: black Power: max 6 W Dedicated light source: SMD LED, in set Light colour: neutral white Luminous flux: max 280 lm Luminous beam angle: 120° Light source lifetime: 30000 h Energy efficiency class EeI: G on/off switch: yes Product offer the possibility of adjusting the illumination direction: yes IP: 20, Material: ABS Dimensions (mm): height 320, width 110, depth 200 Comments: driver included; three-stage lighting regulation (1W, 3W, 6W); adjustable base light color (RGB); touch switch</p>		
Ideus code:	04001	expected availability	10.12.2021

Product name	GIBON LED WHITE/BROWN		
	<p>SMD LED desk lamp Brand: STRÜHM Power supply: 230V 50Hz Colour: white/brown Power: max 8 W Dedicated light source: SMD LED, in set Light colour: warm white/neutral white/cold white Luminous flux: max 280 lm Luminous beam angle: 120° Light source lifetime: 30000 h Energy efficiency class EeI: F on/off switch: yes Product offer the possibility of adjusting the illumination direction: yes IP: 20, Material: ABS Dimensions (mm): height 295, width 77, depth 245 Comments: driver included; brightness and white light adjustable (WW, NW, CW); touch switch</p>		
Ideus code:	04002	expected availability	29.11.2021

Product name	GIBON LED BLACK		
	<p>SMD LED desk lamp Brand: STRÜHM Power supply: 230V 50Hz Colour: black Power: max 8 W Dedicated light source: SMD LED, in set Light colour: warm white/neutral white/cold white Luminous flux: max 280 lm Luminous beam angle: 120° Light source lifetime: 30000 h Energy efficiency class EeI: F on/off switch: yes Product offer the possibility of adjusting the illumination direction: yes IP: 20, Material: ABS Dimensions (mm): height 295, width 77, depth 245 Comments: driver included; brightness and white light adjustable (WW, NW, CW); touch switch</p>		
Ideus code:	04003	expected availability	29.11.2021

<p>Product name</p> 	<p>TEKLA LED C 12W NW</p> <p>Hermetic fixture Brand: STRUHM Power supply: 230V 50Hz Colour: graphite Power: 12 W Dedicated light source: SMD LED, in set Light colour: neutral white Luminous flux: 1020 lm Luminous beam angle: 140° Light source lifetime: 20000 h Energy efficiency class EEl: F IP: 54 Material: polycarbonate PC Dimensions (mm): height 160, width 160, depth 100 Comments: driver included</p>			<p>Product name</p> 	<p>TEKLA LED D 12W NW</p> <p>Hermetic fixture Brand: STRUHM Power supply: 230V 50Hz Colour: graphite Power: 12 W Dedicated light source: SMD LED, in set Light colour: neutral white Luminous flux: 1020 lm Luminous beam angle: 140° Light source lifetime: 20000 h Energy efficiency class EEl: F IP: 54 Material: polycarbonate PC Dimensions (mm): height 160, width 160, depth 100 Comments: driver included</p>						
<p>Ideus code:</p>		<p>04014</p>		<p>Ideus code:</p>		<p>04015</p>					
<p>Product name</p> 	<p>GAMP GU10 C BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: max 12 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: polycarbonate PC Dimensions (mm): height 80, width 68, depth 89</p>			<p>Product name</p> 	<p>GAMP 2xGU10 C BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: 2 x max 12 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: polycarbonate PC Dimensions (mm): height 150, width 68, depth 89</p>						
<p>Ideus code:</p>		<p>04016</p>		<p>Ideus code:</p>		<p>04017</p>					
<p>Product name</p> 	<p>GAMP GU10 D BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: max 12 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: polycarbonate PC Dimensions (mm): height 80, width 68, depth 89</p>			<p>Product name</p> 	<p>GAMP 2xGU10 D BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: 2 x max 12 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: polycarbonate PC Dimensions (mm): height 150, width 68, depth 89</p>						
<p>Ideus code:</p>		<p>04018</p>		<p>Ideus code:</p>		<p>04019</p>					
<p>Product name</p> 	<p>BRUNO GU10 C BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: aluminium, glass Dimensions (mm): height 158, width 100, depth 100</p>			<p>Product name</p> 	<p>BRUNO 2xGU10 C BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: 2 x max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: aluminium, glass Dimensions (mm): height 230, width 100, depth 100</p>						
<p>Ideus code:</p>		<p>04004</p>		<p>expected availability 29.11.2021</p>		<p>Ideus code:</p>		<p>04005</p>		<p>expected availability 29.11.2021</p>	
<p>Product name</p> 	<p>BRUNO GU10 D BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: aluminium, glass Dimensions (mm): height 158, width 100, depth 100</p>			<p>Product name</p> 	<p>BRUNO 2xGU10 D BLACK</p> <p>Hermetic fixture Brand: STRUHM Power supply: 220-240V 50/60Hz Colour: black Power: 2 x max 35 W Lampholder type: GU10 Dedicated light source: LED IP: 54 Material: aluminium, glass Dimensions (mm): height 230, width 100, depth 100</p>						
<p>Ideus code:</p>		<p>04006</p>		<p>expected availability 29.11.2021</p>		<p>Ideus code:</p>		<p>04007</p>		<p>expected availability 29.11.2021</p>	

Product name	TABLET LED 20W BLACK RGBW		
	<p>SMD LED floodlight Brand: STRÜHM Power supply: 230V 50Hz Colour: black Power: 20 W Dedicated light source: SMD LED, in set Light colour: multicolour Luminous flux: 2070 lm Luminous beam angle: 120° Light source lifetime: 30000 h Energy efficiency class EEE: E Product offer the possibility of adjusting the illumination direction: yes IP: 65 Material: aluminium alloy cast, glass Dimensions (mm): height 114, width 148, depth 18 Comments: driver included, light color adjustment by</p>		
Ideus code:	03988		

Lighting

New products

Catalog supplement

2021/1

Ideus Sp. z o.o.
Niedźwiedziniec 10, 41-506 Chorzów, Poland

Phone: +48 32 750 03 08

Fax: +48 32 750 03 87

E-mail: ideus@ideus.pl